



Optimized **Education Solutions**

Hanwha Techwin meets the unique security challenges facing educational institutions through the use of high-value, efficient, and cutting-edge technologies.

These technologies include:

- ✓ License-free Al camera analytics to increase surveillance accuracy and efficiency
- **♥** Future-proof modular designs that ensure economic device upgrade paths
- Cost-saving multi-sensor and specialty devices to replace multi-camera installations

Thermal body temperature detection camera


When properly configured, Hanwha Techwin's TNM-6320TDY can monitor the body temperatures of personnel entering a facility with an accuracy of ± 0.9 °F (± 0.5 °C). Its use of AI camera analytics reduces the occurrence of false alarms by removing any non-human entities from the monitoring process.



Detection

Thermal image

QVGA 4.7mm fixed focal



- ✓ Estimated body temperature accuracy of ±0.9°F (±0.5°C)*
- ✓ Integration with visible camera AI Face Detection analytics
- FDA 510K registered medical device

*When used in conjunction with SPI-35B Black Body calibration device

Wisenet WAVE VMS: Simple. Scalable. Powerful.

Hanwha Techwin's lightweight, scalable, and feature rich video management is capable of supporting up to 128 IP video streams per server and is fully integrated with Wisenet NVRs and IP camera video and audio analytics.



- **Easy setup** complete system install and configuration in minutes
- **Flexibility** drag and drop interface with resizable viewing panes for intuitive navigation
- **✓ Compatibility** full integration with SUNAPI 2.0 Wisenet device features and advanced analytics and other popular 3rd party security solutions
- **▼ Reliability** robust server hive architecture ensures continuous system uptime
- **Portability** accessible from anywhere via WAVE Sync with mobile client applications
- Accessibility add an unlimited number of users to a single system, each with custom or preset roles

SUPPORTED BROWSERS	SUPPORTED DESKTOP OS	SUPPORTED MOBILE OS	SUPPORTED SERVER OS
©		ı ş ı	
3	②	É	Q
0	É		
e			

Mobile

Wisenet P series Al cameras

Hanwha Techwin high-resolution 4K cameras have been equipped with Al-based analytics with attribute extraction that can accurately identify both humans and vehicles. Being able to differentiate and identify objects as humans or vehicles leads to faster and more efficient forensic searches as well as a reduction in bandwidth and storage through metadata tagging.

Indoor Vandal Dome



PNV-A9081R

Outdoor Vandal Dome



PND-A9081RF



PNO-A9081R

Bullet



Box


PNB-A9001



The AI camera BestShot feature

All extracted attributes are presented in real time via Hanwha Techwin's BestShot feature, which displays a still image of a detected object for easy identification along with any attributes detected.





Detected	Objects	Attribute Category	Supported Attribute Items	
		Gender	Female, Male	
	Davisan	Upper garment	(Up to 2 colors simultaneously)	
Perso	Person	Lower garment	Black, Gray, White, Red, Orange, Yellow, Green, Blue, Purple	
		Bag	Carries a bag, does not carry a bag	
		Gender	Female, Male	
Face	Face	Age	Young/Adult/Middle/Senior	
	Face	Glasses	Wearing glasses, not wearing glasses	
		Face mask	Wearing mask, not wearing mask	
1970.00	Туре	Car (sedan/SUV/van/etc.), bus, truck, motorcycle, bicycle		
	Vehicle	Color	(Up to 2 colors simultaneously) Black, Gray, White, Red, Orange, Yellow, Green, Blue, Purple	
LPR 9 258	License plate	License plate	Presence of a license plate	

Wisenet 7 powered X series cameras

The Wisenet 7 SoC is our latest and most advanced chipset to date, featuring recording resolutions of up to 4k, license-free video and audio analytics, eXtreme WDR with scene analysis, and best-in-class cybersecurity measures. Powering the updated line of Wisenet X series cameras, these capabilities are available in a variety of form factors that meet the challenges of even the toughest environments.



Vivid 4K Resolution

Hanwha Techwin's F1.2 varifocal lens is implemented into the Wisenet 7 4K camera lineup, allowing the most light into the camera's sensor and producing clear and vivid images.



wisenet 7







xtreme WDR with Scene Analysis technology

Hanwha Techwin's improved multi-frame WDR technology lets you take full advantage of image contrast to see detailed objects clearly even in environments with strong backlight conditions.

Conventional







Wisenet 7



















End-to-end Cybersecurity

Hanwha Techwin security policies begin at the factory, with our own device certification issuing system embedding certificates and encryption keys into each chip.

UL CAP Certified: Our latest network video surveillance cameras equipped the Wisenet7 SoC acquired the UL CAP (Cybersecurity Assurance Program) certification, meeting all UL evaluation cybersecurity criteria: network penetration, access control, encryption and software updates.

The result: a fully secure end-to-end surveillance workflow, assuring all video is securely stored, encrypted and accessible only by authorized users.

Wisenet X series PLUS Modular Camera Design

Hanwha Techwin's unique modular camera design has been incorporated into both the Wisenet P series Al camera line as well as the Wisenet 7 powered Wisenet X series camera line. The modular design allows camera installers to easily install and configure devices as well as to service and upgrade them after installation using a wide variety of module options.



Easy to Use Innovation: Multi-sensor Camera Devices

Hanwha Techwin multi-sensor/multi-directional and multi-sensor/panoramic cameras allow you to monitor wide-open areas without blind spots or hallways and intersections with a single device. Cameras with replaceable lens modules allow you to customize the camera to meet your specific needs while PTRZ (Pan/Tilt/Rotate/Zoom) equipped devices can be adjusted remotely without physically accessing the unit. All multi-sensor devices use a single network cable and IP address for quick installation and configuration and can be recorded using a single camera recording license for Wisenet WAVE VMS and most popular video management systems.

- Eliminate the need for multi-camera installations
- Require only a single network cable and IP address for installation
- Record all sensors using a single camera recording license for popular VMS solutions
- **♥** PTRZ models reduce maintenance costs when camera readjustments are needed
- ✓ License-free onboard intelligent video analytics for each sensor
- Center Mode to remove blind spots below the camera





Quad Mode











^{*}Paintable Skin Cover - Included with indoor models only. Can be painted to blend into your environment.

Mobile Solutions

Hanwha Techwin's EN50155 and EN 50121-x compliant mobile solutions include specialty Wisenet7 powered cameras. These hardened devices are designed to minimize service interruptions due to vibration and impact and water ingress while offering the same quality and analytics technologies incorporated into every Hanwha Techwin product.







Mobile Vandal Dome

XNV-6012M/6022RM

- **⋘** EN50155 and EN 50121-x compliant
- ▼ IK10, IP6K9K, and NEMA 4X rated devices
- ✓ M12 connectors for mobile applications
- ✓ License-free video and audio analytics suites*

*Varies by model.

Mobile Models



UL CAP certified cybersecurity

Hanwha Techwin security products offer the highest cybersecurity possible with unique certificates embedded into every device during each phase of the manufacturing process. This results in a cybersecurity policy that satisfies stringent UL CAP standards as well as our own requirements for product reliability and design innovation.



WiseStream II + H.265 compression technology

Hanwha Techwin's WiseStream II is an advanced video compression technology based on motion analytics used to decrease the size of video data transmissions without degrading quality. When used in conjunction with the H.265 video codec, WiseStream II enables storage and bandwidth savings of up to 75% compared to the use of H.264 video compression alone.





How does it work?

- **Dynamic GOV** Analyzes motion and complexity in video and controls bandwidth consumption in real time.
- **Oynamic FPS** adjusts the number of frames transmitted from the camera based on degree of motion in video.
- Smart ROI dynamically applies a different compression rate on parts of the video based on motion activity, or "region of interest", to reduce bandwidth consumption.
- **✓ Predictive Bitrate Control** uses improved logic to detect changes in a video scene to control the rate of compression, optimizing the data stream for transmission.

Smart ROI



Hanwha Techwin IP camera features and onboard advanced video and audio analytics

Hanwha Techwin's license-free intelligent video and audio analytics technology operates on the edge, alerting operators to abnormal activities in real time. This increase in situational awareness can help to prevent or minimize damage or harm during an event by prompting a rapid and efficient response.

Camera Features



Tamper detection - Detects when a camera's direction is changed due to impact, sudden loss of focus, painting or blockage



Image stabilization - Cameras can detect shaking or vibration and digitally stabilize the image



Fog detection - Cameras can detect the presence of fog or steam and automatically improve image quality



DIS with gyro sensor - An internal gyroscopic sensor is used to detect vibration in an image and work to stabilize the affected image



HLC - Low light feature that blocks sources of intense light such as vehicle headlights in order to maintain a clear image



PTZ handover - Strategically placed cameras can be used to trigger PTZ presets, patrol patterns, and target tracking based on detected events



Open platform - This policy allows 3rd party software and applications to run on the edge in parallel with normal camera operations, adding utility to your IP camera device beyond surveillance functions

Intelligent Video & Audio Analytics



Face detection - Identifies key features of a human face and issues an alert when a face is present



Virtual line crossing detection - Objects crossing a designated virtual line can be detected



Loitering detection - Objects appearing and resting in a designated virtual zone will trigger an event



Intrusion detection - Triggers an event when movement is detected in a designated virtual zone



Appear/disappear - Detects the presence or loss of an item in a designated virtual zone



Enter/exit detection - Detection of objects entering or exiting a designated area

Audio detection - Detects and identifies the sound of explosions, gunshot, screams, and breaking glass



Gunshot



Glass Break







Scream Explosion

*Camera features and analytics vary by model

For more information visit us at

HanwhaSecurity.com



Hanwha Techwin America

500 Frank W. Burr Blvd. Suite 43 Teaneck, NJ 07666 Toll Free: +1.877.213.1222

Direct:+1.201.325.6920 Fax:+1.201.373.0124 www.hanwhasecurity.com

 $\ensuremath{\texttt{©}}$ 2021 Hanwha Techwin Co., Ltd. All rights reserved.

DESIGN AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

 $Under \ no \ circumstances, this \ document \ shall \ be \ reproduced, \ distributed \ or \ changed, \ partially \ or \ wholly, \ without \ formal \ authorization \ of \ Hanwha \ Techwin \ Co., \ Ltd.$